

Message Template API (0.0.12)

License: [RUCKUS Cloud Privacy Policy](#)

APIs published in this document are subject to strict change control by RUCKUS. As far as possible, when new versions of the Public API are published, all documented API endpoints will maintain backward compatibility. When not possible, an API endpoint will be deprecated, and a replacement API or another workaround will be provided. Support for deprecated API endpoints will continue for at least six months before removal to provide API client developers sufficient time to adopt the replacement. This document will indicate when API endpoints are deprecated along with the schedule for their removal. API client developers may discover other experimental API endpoints provided by the RUCKUS cloud, not included in this API document. RUCKUS reserves the right to change these experimental APIs to API client developers without notice.

Manage Templates

Manage Templates

Retrieve All Templates in Scope

Returns all templates within the given template scope.

PATH PARAMETERS

 <code>templateScopeId</code> required	string <uuid> Template scope ID
---	------------------------------------

QUERY PARAMETERS

 <code>size</code>	any Page size
 <code>page</code>	any The page to retrieve (starts at zero).
 <code>sort</code>	any The field name to sort, comma seperated from the sort order (asc or desc). Sortable fields are: id, nameLocalizationKey, userProvidedName, messageTemplate, and extraFieldOneTemplate

Responses

- > **200** The list of templates within the template scope.
- > **404** Template Scope not found

GET

/templateScopes/{templateScopeId}/templates

▼

Response samples

200

404

Content type

application/json

Copy

Expand all

Collapse all

```
{
  - "paging": {
    "totalCount": 0,
    "page": 0,
    "pageSize": 0,
    "pageCount": 0
  },
  - "content": [
    + { ... }
  ]
}
```

```
    },
    - "_links": {
      + "property1": { ... },
      + "property2": { ... }
    }
  }
}
```

Retrieve Template

Returns the template specified by the give id, which can be either a registration id or template id.

PATH PARAMETERS

templateScopeId required	string <uuid> Template Scope ID
genericTemplateId required	string Template or Registration ID

Responses

> **200** The template

> **404** Template scope or template not found.

GET /templateScopes/{templateScopeId}/templates/{genericTemplateId}

Response samples

200

404

Content type
application/json

Copy Expand all Collapse all

```
{
  "id": "string",
  "nameLocalizationKey": "string",
  "userProvidedName": "string",
  "messageTemplate": "string",
  "extraFieldOneTemplate": "string",
  "editable": true,
  - "_links": {
    + "property1": { ... },
    + "property2": { ... }
  }
}
```

Template Scope

Retrieve information about the template scope

Retrieve All Template Scopes

Returns all available template scopes.

QUERY PARAMETERS

size	any Page size
page	any The page to retrieve (starts at zero).
sort	any The field name to sort, comma seperated from the sort order (asc or desc). Sortable fields are: id, messageType, and nameLocalizationKey

Responses

> **200** The list of template scopes.

GET /templateScopes

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
  - "paging": {
    "totalCount": 0,
    "page": 0,
    "pageSize": 0,
    "pageCount": 0
  },
  - "content": [
    + { ... }
  ],
  - "_links": {
    + "property1": { ... },
    + "property2": { ... }
  }
}
```

Get Template Scope

Retrieves the template scope for the given id.

PATH PARAMETERS

templateScopeId required	string <uuid> Template scope id
-----------------------------	------------------------------------

QUERY PARAMETERS

includes	Array of strings A comma seperated list of child resources to include in the response in the format: includes={resourcePath}, {resourcePath}. Where {resourcePath} must match the REST API path for that resource underneath the Template Scope. Only individual registrations are allowed. Any resource that is invalid or not found will be
----------	--

Responses

- > 200 Template scope
- > 404 Template scope not found

GET /templateScopes/{templateScopeId}

Response samples

200404

Content type
application/json

CopyExpand allCollapse all

```
{
  "id": "497f6eca-6276-4993-bfeb-53cbbbba6f08",
  "messageType": "EMAIL",
  "nameLocalizationKey": "string",
  "defaultTemplateId": "bee715a2-1763-4940-8b0e-39be16b372e7",
  "registrations": [
    + { ... }
  ],
  "_links": {
    + "property1": { ... },
    + "property2": { ... }
  }
}
```

Variables

Retrieve variables available to templates within the given template scope.

Retrieve Template Scope Variables

Retrieve variables within the given template scope.

PATH PARAMETERS	
templateScopeId required	string <uuid> Template scope id
QUERY PARAMETERS	
size	any Page size
page	any The page to retrieve (starts at zero).
sort	any Sorting is not allowed for this endpoint.

Responses

> **200** The list of variables available to templates within this template scope.

> **404** Template scope not found.

GET /templateScopes/{templateScopeId}/variables

Response samples

200

404

Content type
application/json

Copy Expand all Collapse all

```
{
  - "paging": {
    "totalCount": 0,
    "page": 0,
    "pageSize": 0,
    "pageCount": 0
  },
  - "content": [
    + { ... }
  ],
  - "_links": {
    + "property1": { ... },
    + "property2": { ... }
  }
}
```

Template Registrations

Retrieve template registrations

Retrieve a Template's Registrations

Returns all registrations that reference the given template.

PATH PARAMETERS

templateScopeId required	string <uuid> Template Scope ID
templateId required	string <uuid> Template ID

QUERY PARAMETERS

size	any Page size
page	any The page to retrieve (starts at zero).
sort	any The field name to sort and the sort order (asc or desc) comma separated. Sortable fields are: id, templateId,

Responses

> **200** The list of registrations referencing the given template.

> **404** Template Scope not found

GET /templateScopes/{templateScopeId}/templates/{templateId}/registrations

Response samples

- 200
- 404

Content type
application/json

Copy Expand all Collapse all

```
{
  - "paging": {
    "totalCount": 0,
    "page": 0,
    "pageSize": 0,
    "pageCount": 0
  },
  - "content": [
    + { ... }
  ],
  - "_links": {
    + "property1": { ... },
    + "property2": { ... }
  }
}
```

Registrations

Manage template registrations

Retrieve All Registrations

Returns all registrations within the given template scope.

PATH PARAMETERS

templateScopeId	string <uuid>
required	Template Scope ID

QUERY PARAMETERS

size	any
	Page size
page	any
	The page to retrieve (starts at zero).

sort

any
The field name to sort and the sort order (asc or desc) comma separated. Sortable fields are: id, templateId, usageLocalizationKey, usageDescriptionFieldOne, usageDescriptionFieldTwo

Responses

- > 200 The list of registrations within the template scope.
- > 404 Template Scope not found

GET /templateScopes/{templateScopeId}/registrations

Response samples

200404

Content type
application/json

CopyExpand allCollapse all

```
{
  - "paging": {
    "totalCount": 0,
    "page": 0,
    "pageSize": 0,
    "pageCount": 0
  },
  - "content": [
    + { ... }
  ],
  - "_links": {
    + "property1": { ... },
    + "property2": { ... }
  }
}
```

Retrieve Registration

Returns the registration for the given ID.

PATH PARAMETERS

templateScopeId required	string <uuid> Template Scope ID
registrationId required	string Registration ID

Responses

- > 200 The registration.

> **404** Template scope or registration not found.

GET /templateScopes/{templateScopeId}/registrations/{registrationId} 

Response samples

200

404

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "id": "string",
  "templateId": "196100ac-4eec-4fb6-a7f7-86c8b584771d",
  "usageLocalizationKey": "string",
  "usageDescriptionFieldOne": "string",
  "usageDescriptionFieldTwo": "string",
  "_links": {
    + "property1": { ... },
    + "property2": { ... }
  }
}
```