

Guest API and Model Documentation (1.7.0)

License: [RUCKUS Cloud Privacy Policy](#)
<https://support.ruckuswireless.com/ruckus-cloud-wifi-legal-terms-and-conditions>

Overview

Rate Limit

For the ApOps REST API the following will be true:

- Limits are applied to each tenant.
- A maximum of 200 calls can be made per second.
- Each second 100 calls will be returned to be used.

Portal Service Profile

Manage Portal Service Profile.

Get Portal Service Profiles Deprecated

Get portal service profile for the list.

QUERY PARAMETERS

serviceName	string Portal Service Profile Name
networkId	string NetworkId
tags	string Tags
page	integer <int32> Default: 1 Indicates the page to return, will be 1 based, and default to page 1
pageSize	integer <int32> Default: 256 Default is 256, indicates the page size to return
excludeContent	boolean Default: false Get the total count information from the query and NOT pull the data

Responses

> 200 OK
> 400 Bad/malformed request
> 401 Not-authorized
> 403 Forbidden
> 404 Requested resource or related-entity not found
> 422 Validation error

> **423** Locked

> **500** Internal Server Error

GET

/portalServiceProfiles



Response samples

200

400

401

403

404

422

423

500

Content type

application/json

Copy

Expand all

Collapse all

```
{
  - "content": [
    + { ... }
  ],
  - "paging": {
    "page": 0,
    "pageSize": 0,
    "totalCount": 0
  }
}
```

Delete Portal Service Profile

Deprecated

Delete portal service profile by ids.

REQUEST BODY SCHEMA: application/json

required

Array [
 string
]

Responses

> **202** Accepted

> **400** Bad/malformed request

> **401** Not-authorized

> **403** Forbidden

> **404** Requested resource or related-entity not found

> **422** Validation error

> **423** Locked

> **500** Internal Server Error

DELETE

/portalServiceProfiles



Request samples

Payload

Content type

application/json

Copy

```
[
  "string"
]
```

Response samples

202

400

401

403

404

422

423

500

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "requestId": "string",
  "response": { }
}
```

Get Tags Filter of Portal Service Profiles Deprecated

Get tags filter for portal service profile lists.

Responses

> 200 OK

> 400 Bad/malformed request

> 401 Not-authorized

> 403 Forbidden

> 404 Requested resource or related-entity not found

> 422 Validation error

> 423 Locked

> 500 Internal Server Error

GET /portalServiceProfiles/tags



Response samples

200

400

401

403

404

422

423

500

Content type

application/json

Copy

Expand all

Collapse all

```
[
  - {
    "id": "string",
    "name": "string",
    "tags": "string"
  }
]
```

Get Network Filter of Portal Service Profiles Deprecated

Get network filter for portal service profile lists.

Responses

> **200** OK

> **400** Bad/malformed request

> **401** Not-authorized

> **403** Forbidden

> **404** Requested resource or related-entity not found

> **422** Validation error

> **423** Locked

> **500** Internal Server Error

GET /portalServiceProfiles/networks



Response samples

200

400

401

403

404

422

423

500

Content type

application/json

Copy Expand all Collapse all

```
[
  - {
    "id": "string",
    "name": "string",
    "tags": "string"
  }
]
```

Guest User

Manage guest users.

Import Guest Users by Network ID Deprecated

Import one or more guest pass users from the payload's CSV file.

PATH PARAMETERS

networkId	string
required	Network ID of the guest network to which the guest user will connect.

QUERY PARAMETERS

expiration.activationType	string
required	Enum: "Creation" "Login" When activation type is set to creation, the guest pass is valid when it's created until the specified expiration duration, even if it's not being used; when set to login, the guest pass is valid starting from when the user first logs on until the specified expiration duration.
expiration.duration	integer <int32> [1 .. 8760]
expiration.duration	
expiration.unit	string
required	Enum: "Minute" "Hour" "Day" "Week" "Month" "Year" "Never"
maxDevices	integer <int32>
required	Default: 3 Maximum number of devices the guest user can simultaneously connect to the guest network. If set to -1, no limit is enforced.
deliveryMethods	Array of strings unique Items Enum: "MAIL" "SMS" "WHATSAPP" "STUB" "PRINT" At least one delivery method.

REQUEST BODY SCHEMA: multipart/form-data
required

file	string <binary>
required	

Responses

- > 201 Created
- > 400 Bad/malformed request
- > 401 Not-authorized
- > 403 Forbidden
- > 404 Requested resource or related-entity not found
- > 422 Validation error
- > 423 Locked
- > 500 Internal Server Error

POST

/networks/{networkId}/guestUsers

Response samples

201

400

401

403

404

422

423

500

Content type

application/json

CopyExpand allCollapse all

```
{
  "requestId": "string",
  "response": {
    "downloadUrl": "string",
    + "data": [ ... ]
  }
}
```

Get Guest Users Deprecated

Get user details for the list of provisioned guest users.

QUERY PARAMETERS

page	integer <int32> Page index
size	integer <int32> The size of the page to be returned

Responses

- > **200** OK
- > **400** Bad/malformed request
- > **401** Not-authorized
- > **403** Forbidden
- > **404** Requested resource or related-entity not found
- > **422** Validation error
- > **423** Locked
- > **500** Internal Server Error

GET /guestUsers

Response samples

200400401403404422423500

Content type
application/json

CopyExpand allCollapse all

```
{
  "content": [
    + { ... }
  ],
  "totalElements": 0
}
```

Add Guest Users Deprecated

Provision one or more guest users as defined in the payload.

REQUEST BODY SCHEMA: application/json
required

Array [	
name required	string The name assigned to the guest user.
disabled	boolean If true, this guest user will not be permitted to join the guest network.
networkId required	string Network ID of the guest network.
notes	string [0 .. 180] characters
email	string
mobilePhoneNumber required	string The mobile phone number associated to the guest user.
maxDevices required	integer <int32> Maximum number of devices the guest user can simultaneously connect to the guest network. If set to minus one, no limit is enforced.
deliveryMethods required	Array of strings unique Items Enum: "MAIL " "SMS" "WHATSAPP" "STUB" "PRINT" At least one delivery method.
expiration > required	object (GuestUserExpiration)
]	

Responses

- > 201 Created
- > 400 Bad/malformed request
- > 401 Not-authorized
- > 403 Forbidden
- > 404 Requested resource or related-entity not found
- > 422 Validation error
- > 423 Locked
- > 500 Internal Server Error

POST /guestUsers

Request samples

Payload

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
    "name": "string",
    "disabled": false,
    "networkId": "string",
    "notes": "string",
    "email": "string",
    "mobilePhoneNumber": "string",
    "maxDevices": 3,
    + "deliveryMethods": [ ... ],
    + "expiration": { ... }
  }
]
```

Response samples

201

400

401

403

404

422

423

500

Content type

application/json

Copy Expand all Collapse all

```
{
  "requestId": "string",
  - "response": [
    + { ... }
  ]
}
```

Delete Guest Users Deprecated

Delete one or more guest users per their IDs as defined in the payload.

REQUEST BODY SCHEMA: application/json

required

Array [
 string
]

Responses

> 200 OK

> 400 Bad/malformed request

> 401 Not-authorized

> 403 Forbidden

> 404 Requested resource or related-entity not found

> 422 Validation error

> 423 Locked

> 500 Internal Server Error

DELETE

/guestUsers

Request samples

Payload

Content type

application/json

Copy

[
 "string"
]

Response samples

200

400

401

403

404

422

423

500

Content type

application/json

Copy

Expand all

Collapse all

{
 "requestId": "string",
 "response": { }
}

Get Guest User by ID Deprecated

Get a guest user.

PATH PARAMETERS

guestUserId required	string
--	--------

Responses

- > 200 OK
- > 400 Bad/malformed request
- > 401 Not-authorized
- > 403 Forbidden
- > 404 Requested resource or related-entity not found
- > 422 Validation error
- > 423 Locked
- > 500 Internal Server Error

GET

/guestUsers/{guestUserId}

Response samples

Response samples

- 200
- 400
- 401
- 403
- 404
- 422
- 423
- 500

Content type

application/json

Copy Expand all Collapse all

```
{
  "id": "string",
  "createdDate": 0,
  "lastModified": 0,
  "name": "string",
  "disabled": false,
  "networkId": "string",
  "notes": "string",
  "email": "string",
  "mobilePhoneNumber": "string",
  "maxDevices": 3,
  "macAddresses": [
    "string"
  ],
  "ssid": "string",
  "deliveryMethods": [
    "MAIL"
  ],
  "guestUserType": "GuestPass",
  "expiration": {
    "activationType": "Creation",
    "duration": 0,
    "unit": "Minute"
  },
  "password": "string",
  "expirationDate": 0
}
```

Delete Guest User by ID

Deprecated

Delete a guest user.

PATH PARAMETERS

 guestUserId
required string

Responses

> 200 OK

> 400 Bad/malformed request

> 401 Not-authorized

> 403 Forbidden

- > **404** Requested resource or related-entity not found
- > **422** Validation error
- > **423** Locked
- > **500** Internal Server Error

DELETE /guestUsers/{guestUserId}

Response samples

200400401403404422423500

Content type

application/json

CopyExpand allCollapse all

```
{  "requestId": "string",  "response": { }}
```

Update Guest User Deprecated

Update guest user enable/disable status or create new password for the guest user.

PATH PARAMETERS

guestUserId

required

string

REQUEST BODY SCHEMA: application/json

required

Parameter combination option:

Option1: Enable or disable user by "action: enabled" or "action: disabled".

Option2: Regenerate guest user credential by "action: regenerate" + "deliveryMethods"

action

required

string

Action for updating guest user.

deliveryMethods

Array of strings

unique

Items Enum: "MAIL" "SMS" "WHATSAPP" "STUB" "PRINT"

At least one delivery method.

Responses

- > **200** OK
- > **400** Bad/malformed request
- > **401** Not-authorized
- > **403** Forbidden
- > **404** Requested resource or related-entity not found

> **422** Validation error

> **423** Locked

> **500** Internal Server Error

PATCH /guestUsers/{guestUserId}



Request samples

Payload

Content type
application/json

Copy

```
{
  "action": "enabled",
  "deliveryMethods": "MAIL"
}
```

Response samples

200

400

401

403

404

422

423

500

Content type
application/json

Copy Expand all Collapse all

```
{
  "requestId": "string",
  "response": {
    "id": "string",
    "createdDate": 0,
    "lastModified": 0,
    "name": "string",
    "disabled": false,
    "networkId": "string",
    "notes": "string",
    "email": "string",
    "mobilePhoneNumber": "string",
    "maxDevices": 3,
    "macAddresses": [ ... ],
    "ssid": "string",
    "deliveryMethods": [ ... ],
    "guestUserType": "GuestPass",
    "expiration": { ... },
    "password": "string",
    "expirationDate": 0
  }
}
```